



Zig. 2


_		310		_							312		_
Phase 1	Phase 2	Phase 3		Phase n					Phase 1	Phase 2	Phase 3	••••	Phase n
	(	PreOS	302		InstOS	304	CmdLines	306			PostOS	308	

7ig. 8

Time









```
A Sample of an
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            XML Template
                                                                                                                                                                                                                                             <Parameter Name="Boot.CPQVFloppyImage" Value="=Default.CPQVFloppyImage" />
                               UniqueID="D144JZG1L122" BaseFileName="MRADIUS" Vendor="HP Compaq" Model="HP
                                                                   Compaq.ProLiant.DL380.DL380Array" OperatingSystem="Windows 2000.Server SP3
Integrated" MachineFunction="Windows 2000 Server.Base Server">
                                                                                                                                                                                                                                                                                                                   <Parameter Name="Common.Sync" Value="=Default.DomainComplete" />
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 <PhaseList PhaseList="W2K with supporting tools no domain" />
<Machine Name="MRADIUS" Description="Lab2 Rack31 DL380 -</pre>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        <PhaseList PhaseList="ProLiant_Standard" />
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             - <Stage Stage="PostOSStage">
                                                                                                                                                                                                                                                                                                                                                                                                                                                    - <Stage Stage="PreOSStage">
                                                                                                                                                                         <Values>
                                                                                                                                                                                                                                                                                                                                                                                     </Values>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              </Stage>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       </Stage>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  </Machine>
```

7ig. 7

700

for a Machine





New S S S S S S S S S S S S S S S S S S S	Nevy Girolup Wikzeird	New Group Wizard: Select Group Type  Select group type to create  1002	New Group Setup Wizard  Please select the type of group you wish to create.	Group Name  Blank Compaq W2K Front/Back Network Compaq W2K Front/Back Network Compaq W2K Single Network Compaq W2K Single Network Compaq W2K Single Network Create a single network environment with a selection Generic W2K Single Network Create a single network environment with a selection Web Hosting  1006	< Back Next > Finish Cancel
---	-----------------------	--	---	--	-----------------------------

7ig. 10





Fig. 11

Niedic hilitike Valita	
Machine Wizard: General Information Please enter the following information about the machine. 1202	
General Machine Details ————————————————————————————————————	
Name Web2 Description 2nd Web Server in Test Lab	
Unique Id 8837762 (Note: Normally Serial Number or MAC address)	
1204 Boot Type CPQVRoppy Operating System ₩2kServer	
Vendor Mark HP Compaq  Model	
Function Web Server	
Windows 2000 Server  Base Windows 2000 Server  DNS  Domain Controller	Help

				Help
	1302		(2 options) (2 options) (2 options)	Cancel
	Ģ.			Finish
	p Defaults ults for this grou	each stage.	ing onal services	<u>ll</u> ext >
Whreling	ww Group Wizard: Define Group Defaults Please enter information about the defaults for this group.	-New Group Setup Wizard	PreOSStage - Setup hardware Compaq2Disk Inst OS Stage - Install Operating W2K_2_Adapter Post OS Stage - Install Additional services Web Hosting Web Server	< Back
N/k/ ⊜પ્યા⊤ત ગાસપ્ય	New Group Please ente	New Group	1304	

7ig. 13








Fig. 15



			0		142
			Source		
			Value	AKL-BRUCECHXP administrator U.S. VAKL-BRUCECHXPVAPF Z. VAKL-BRUCECHXPVSOURCE  APF Explorer is licensed to:	
	 	ı i	Parameter Type	Site Properties  Site Review	
!		Ď.	Parame	THE PART OF SEA	
			KI	(13)	
		1		08) (UCECH.13	
	Help			- 1702 erer (MS.10 dated) (BR.10 IS.30) Sipstream (M	
	Tools			ing Systems he Functions of (BRUCECH.6)  of (BRUCECH.1)  of (BRUCECH.3)  of Shage (BRUCECH.3)  of LinesShage (BRUCECH.3)  of LinesShage (BRUCECH.4)  stOShage (BRUCECH.4)  stOShage (BRUCECH.4)  stOShage (BRUCECH.4)  stOShage (BRUCECH.4)  of LinesShage (BRUCECH.4)  stOShage (BRUCECH.3)  of LinesShage (BRUCECH.4)  of LinesShage (BRUCECH.3)  of Li	
	1			Pass and the functions goes Boot (BRUCECH.6) Common (BRUCECH.1) PreOSStage (BRUCECH.2) InstOSStage (BRUCECH.3) PostOSStage (BRUCECH.3) CondLinesStage (BRUCECH.3) PostOSStage (BRUCECH.3) PostOSStage (BRUCECH.4) PostOSStage (BRUCECH.4) PostOSStage (BRUCECH.5)  (E) Passes (E) P	
: X.01(0) 7(3) r	View			Herans States States Machine Functions Stages Stage	
	Edit		Site - BRUCECH Packages	7625 BEN # 5 #	
iki W	File		中中 中		
9			<b></b>		

7ig. 17



7ig. 18






Fig. 19



7ig. 20



7ig. 21








Fig. 22





7ig. 24







Zig. 26

	r 					140							,	142	
			Source	I		the environment variable subroutine.		r the computer ical ini file section		to all os) and den					2704
•	 	1	Value			environme routine.		setting for the Tike atypical for eath secti	1111111	variables common to s, CmdLines, PostoS) ere can be overriden ic sections.	1111111				
		Tool Bar	Type	String	Help вкисесн. 290" />	emplate of all allation phase	m. Generated. m. Updated.	configuration t is organized cey=value pairs	mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm	environment variabl reos, Instos, CmdLi s defined here can phase-specific sect				51	CE
	Tools Help	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Parameter	Boot.M	[ЭХК FORO) Eile Edit View Iools Help :«Аргехр 1 or ermachine 1 d= "в Rucech. 290"	// APF version: 2.0.326.0 // This file contains a t // sections for each inst	History 23/07/2002 6:39:42 a.m. 23/07/2002 6:40:19 a.m.	APF HISTORY END]  / This file defines / purposing process / with [section]'s	//////////////////////////////////////	This section defines environment var environment stages (Preos, InstOS, C) phases. The variables defined here by stage-specific or phase-specific	<i>Summunumunu</i>	(	StDom=AKL-BRUCECHXP  StDom=1Password   StUsr=administrator	Jrv=U; Shr=\\AKL-BRUCECHXP\APF Spriewcal-I	SDYSES   SOURCE   SOURCE   SOURCE   WINST CD   WIN
16:10:00 X 3 :0:10	Eile Edit View To		да за - вписесн	6-10 AD2 — 2604	Copy Paste Delete	Refresh H.G. All Tasks > H.G. Anders Generate Files	Fig. 844 Check Build Fig. 844 Check Build Fig. 844 Web. 2702	Systems Functions	15 bod   15 Common   15 Common	亡气g PeadOSSage 中气g Phases 白一角 Phase las	Windows 2000 Server	Company of the property of the	世代的 Basic Embedded W2K DT Company Co	F.G. Parameter Types  C. C	i N N


7ig. 27



Zig. 28




Zig. 29




7ig. 30

227		5	. 1 f						-		. 1		:							$\neg$
		Common.Sync	=Default.DomainC	=Default.DomainC		=Default.DomainC	=Default.DomainC	=Default.DomainC	=Default.DomainC	=Default.DomainC	•	3102			of the tin and no	•		oller 🛨	 Apply	
		Boot.Manageme	10.1.1.1		1.8.8.8	1.8.8.8	1.8.8.8	1.8.8.8	1.8.8.8	/					GenericPREOSbase - Generic Floppy based PREOS. No configuration of the tin and no			W2kDC - Standard Phase List to install a Windows 2000 Domain Controller		
		InFile	WEB1	WEB2	WEB21	NODE1	NODE2	NODE2	NODE2	NODE4			3106	The second secon	loppy based PR	O Single Adapte		install a Windo		A TOTAL STATE OF THE STATE OF T
	Tool Bar	UniqueID	12122	222222			12345	1234533	1234533	54354354353					base - Generic Fl	W2K 1 Adanter - Windows 2000 Single Adanter		lard Phase List to		
	Too	Name	WEB1	WEB2	WEB3	NODE1	NODE2	NODE3	NODE3	NODE4			Rarameters			W/2K 1 Adank		W2kDC - Stano		
	Help 3104	Group	Web Hosting T	Web Hosting T	Web Hosting T	Generic Cluste	Generic Cluste	Generic Cluste	Generic Cluste	Generic Cluste		Machine Properties	General Phase Lists		Pre05Stage	InstOSStage		Post05Stage		
								K			<b>-</b>	Machir						<u>L</u>		
	File Edit <u>V</u> iew <u>T</u> ools	T	- Se Web Hosting Test Lab		© WEB2	Export of Web Hosting Test Lab S		8 8 8 8 9 6	3000 HED 3000	(COL)	H. On MPSC	⊕-Ve HVH ⊕-Ve FET		APF Library			142		138	

7ig. 31



74. 32



74.33

